

The Town of Tiverton, Rhode Island

Town of Tiverton, Rhode Island is soliciting bids from qualified vendors for the following:

Police Headquarters Security Camera System

Specifications for the security camera system may be obtained at the Office of the Town Clerk , 343 Highland Road, Tiverton, Rhode Island 02878, Monday through Friday 8:30 a.m. to 4:00 p.m.

Sealed envelopes marked with the Name of the Item containing Bids on the Bidder's stationary must be received no later than Wednesday, August 31, 2016 at 2:00 p.m. at which time the bids will be opened and publicly read by the Town Administrator in Town Council Chambers.

The Town reserves the right to reject any or all bids as it deems to be in the best interest of the Town.

Nancy L. Mello, Town Clerk

Project Name /P.O. No.

A BEST 360 AND P/T/Z

Model	Description	Qty
Narrative	<p>REMOTE CAMERA LOCATION - BUDGET ONLY BEST 360 DEG AND 1640 FEET INFERRED</p> <p>Budget cost to install a wireless Line of site camera Kit , covering 360 deg angle, and 33 X Optical Pan/Tilt/Zoom Wireless Kit on a Pole , Wireless up to One Mile , Inferred up to 1640 feet Not including 110VAC, Conduit, Cable Modem, Pole, Cable , IF Needed.</p>	
UVC#435-IPC3612E...	2MP IP TURRET 2.8 UNIVIEW CAM IR turret dome camera, 2.8 mm lens Wide water-resistant progressive scan (1980x1080), Matrix IR LEDs (up to 98 feet, Smart IR feature, support Corridor View, DC 12V, PoE (up to 5.5W), IP66.	4
UVS#479-IPC6242S...	P/T/Z SPEED LASER IR DOME 33 X IR UNIVIEW Network 6" speed dome camera, 33x optical zoom (4.7-138mm), Combined Array IR LEDs and Laser IR (up to 1640 feet), 0 Lux, support 64GB Micro SD memory card, Audio Input/Output, Alarm Input/Output, AC 24V, IP67	1
MT#757-GN-MT	Goose-neck wall bracket	1
MT#761-P-MT	Pole Mount for Goose-neck Wall Mount (PFB300S)	4
MT#754-CAM-HOU...	Camera Housing with heater and fan	
UVR#420-NVR201-0...	8CH PoE NVR UNIVIEW mini chassis 1080P realtime live view/recording, 8 PoE port plug and play, H.264 dual-stream video compression, Bandwidth: 128Mbps HDMI/VGA support two way audio, support 1 SATA HDDs up to 6TB, 1 USB 2.0 & 1 USB3.0	1
HDD#718-4TB	4TB WD AV-GP AV-class 24/7 Rated 1M hour MTBF SATA Hard Drive WD40EURX	1
ENCL2-PS	LARGE BLACK 12VDC POWER SUPPLY WITH BATTERY BACK-UP S	1
VX-APIWPro	The VX-APIWPro is a Wireless N, 1 WATT Weatherproof High Power Wireless Outdoor Access Point. Operates in 2.4 GHz & 5GHz antennas with 14dBi & 16 dBi gain. with PoE. Each (Need 2 for a Bridge Kit)	2
C.H.	Connectors and Misc. Hardware	4
Installation	DaneTech Licensed and Insured Installer-Discounted Rate	1
PROG/TRA	Prep and wireless site survey	1

Project Name /P.O. No.

INNER FRONT DOOR, LOCK DO

Model	Description	Qty
Narrative	INNER FRONT DOOR, LOCK DOWN Install the following equipment to secure the inner front door Aiphone Intercom with manual and Monetary lock and unlock feature EL-Door hardware for Inner Front Door Relocate camera from outside to inside foyer Relocate Cardreader from Dispatch to front lobby and or add Cardreader Dead-bolt for small leaf door,	
LEM-1DLS	LEM-1DL AIPHONE INTERCOM , LEM 1 CALL SURFACE MOUNT MASTER STATION WITH DOOR RELEASE, SYSTEM	1
AIP	AIPHONE PARTS ON/OFF MANUAL OVERRIDE	1
LE-D	AIP-LE-D Surface Mount door station for LEF Master	1
PS-1225UL	PS-1225 UL 12VDC 2.5 AMP FOR LEF	1
COM-DP10MCVRD	CAT-0455 PD10-M CVR D 32 CAT Concealed Vertical Rod Exit Device With Motorized Electric Latch Retraction -Duronotic Finish 32 Door , 29 " actual size " Complete CVR device, Non-Handed, Motorized Latch Pullback, w/electric dogging. Duronotic Finish SPECIAL ORDER	1
COM-PS2-BO	PS2-BO (70007) Command Access - Replacement Power Supply Board; Use with Command Access PS-2 or Von Duprin PS873	1
DRH	DEAD-BOLT Misc. Door hardware Top and button	2
5395CG105	HID PROX READER, THIN LINE II SWITCH PLATE , FIT ON SINGLE GANG BOX	1
DRH	Control Relay for Handicap punch bottom, < Note: the Pushbutton will only be active if when the door is unlocked	1
Cable	Misc. cable	
C.H.	Connectors and Misc. Hardware	4
Installation	DaneTech Licensed and Insured Installer-Discounted Rate	2

Project Name /P.O. No.

B GOOD 2 fixed cameras

Model	Description	Qty
Narrative	OPT B REMOTE CAMERA LOCATION - BUDGET ONLY GOOD 2 fixed cameras Budget cost to install a wireless Line of site camera Kit , covering 180 deg angle,Kit on a Pole , Wireless up to One Mile, , Inferred up to 300 feet Not including 110VAC, Conduit, Cable Modem, Pole, Cable , IF Needed.	
UVC#435-IPC3612E...	2MP IP TURRET 2.8 UNIVIEW CAM IR turret dome camera, 2.8 mm lens Wide water-resistant progressive scan (1980x1080),, Matrix IR LEDs (up to 98 feet, Smart IR feature, support Corridor View, DC 12V, PoE (up to 5.5W), IP66.	2
UVS#477-IPC6222E...	P/TZ SPEED DOME 20 X BALL IP IR UNIVIEW Network 6" speed dome camera, 20x optical zoom (4.7-94mm),, Array IR LEDs (up to 328 feet), Lux, support 64GB Micro SD memory card, Audio Input/Output, Alarm Input/Output, AC 24V, IP67	0
MT#761-P-MT	Pole Mount for Goose-neck Wall Mount (PFB300S)	1
UVR#420-NVR201-0...	8CH PoE NVR UNIVIEW mini chassis 1080P realtime live view/recording, 8 PoE port plug and play, H.264 dual-stream video compression, Bandwidth: 128Mbps HDMI/VGA support two way audio, support 1 SATA HDDs up to 6TB, 1 USB 2.0 & 1 USB3.0	1
HDD#718-4TB	4TB WD AV-GP AV-class 24/7 Rated 1M hour MTBF SATA Hard Drive WD40EURX	1
ENCL2-PS	LARGE BLACK 12VDC POWER SUPPLY WITH BATTERY BACK-UP S	1
VX-APIWPro	The VX-APIWPro is a Wireless N, 1 WATT Weatherproof High Power Wireless Outdoor Access Point. Operates in 2.4 GHz & 5GHz antennas with 14dBi & 16 dBi gain. with PoE. Each (Need 2 for a Bridge Kit)	2
C.H.	Connectors and Misc. Hardware	1
Installation	DaneTech Licensed and Insured Installer-Discounted Rate	1
PROG/TRA	Prep and wireless site survey	1